





Wiha is one of the world's leading manufacturers of hand tools for professional use in industry and trade. Founded 80 years ago as a family business, the Black Forest company is still owned by the Hahn family.

Wiha has been developing VDE-tested tools for 50 years and is known for the highest quality, functionality, durability and ergonomics of its products. Wiha enables users to work more efficiently, healthily and safely. Benefits that you can now also enjoy in the field of e-mobility.



- + 80 YEARS OF EXPERIENCE IN DEVELOPMENT AND PRODUCTION OF QUALITY TOOLS
- + THE SPECIALIST FOR VDE-TOOLS
- + RELIABLE PROTECTION AND SAFETY
- + MADE BY WIHA

wiha

PROTECTION AND SAFETY FOR E-MOBILITY.



Working on high-voltage systems requires special qualifications, such as certificates of competence for you and your employees. Special tools are indispensable: Anyone who works with non-insulated tools is putting their life in danger! With Wiha you are on the safe side: Tested at 10,000 V AC and approved for 1,000 V AC, you are always working safely with Wiha tools.



- + WORK ON HIGH-VOLTAGE SYSTEMS REQUIRES SPECIAL TOOLS
- + WORKING WITH NON-INSULATED TOOLS MEANS DANGER TO LIFE!
- + WIHA TOOLS TESTED AT 10,000 VAC AND APPROVED FOR 1,000 VAC



Wiha THE E-MOBILITY TROLLEY.

Everything an automotive mechanic could desire: The eMobility Trolley includes all Wiha VDE-tools you need for your work on hybrid and electric vehicles. Perfectly organised, it prevents disorder from the beginning. From voltage testers to torque wrenches, from protective gloves to warning signs: with the fully equipped workshop trolley you always have the right Wiha tool available.


- + ALL NECESSARY TOOLS FOR HYBRID AND ELECTRIC VEHICLES
- + COMPLETELY EQUIPPED, PERFECTLY ORGANIZED
- + INCREASED SAFETY: VDE TEST MARK
 IN ADDITION TO DIN EN 60900







ElectricVario-Set




Pliers-Set



Accessoires



TorqueVario®-Set



Spanner-Set I 6-24



Workshop trolley set eMobility

Order-No.	Image	Article	Article-No.
		Drawer 1	
-	NAME ADDRESS OF	E-Screwdriver speedE® handlered/yellow welded	
41914	[03] [03]	Battery set 18500 Li-lon (2 units in box)	599001
26626		Torque Screwdriver TorqueVario®-S electric 0,8–5,0Nm (incl. Adjusting tool and slimBit holder electric)	28723500
41927	wiha •	Screwdriver SoftFinish® electric slimVario®	283103
41229	· ·	Screwdriver SoftFinish® electric slimVario® Stubby	283101
34578	0	slimBit electric slotted 2,5	283110025
34579	0	slimBit electric slotted 3,0	283110030
41159	0	slimBit electric slotted 3,5	283110035
34580	0	slimBit electric slotted 4,0	283110040
34581	0	slimBit electric slotted 5,5	283110055
34582	0	slimBit electric slotted 6,5	283110065
34583	+	slimBit electric Phillips PH1	2831111
34584	(1)	slimBit electric Phillips PH2	283 1112
34585	+	slimBit electric Pozidriv PZ1	2831121
34586	+	slimBit electric Pozidriv PZ2	2831122
35506	*	slimBit electric Torx® T8	283115008
35507	® ———	slimBit electric Torx® T10	283115010
35508	® ———	slimBit electric Torx® T15	283115015
35509	® ———	slimBit electric Torx® T20	283115020
36071	® ———	slimBit electric Torx® T25	283115025
37224	<u> </u>	slimBit electric hexagon 2,5	283118025
37147	<u> </u>	slimBit electric hexagon 3	283118030
37225	<u> </u>	slimBit electric hexagon 4	283118040
37226	<u> </u>	slimBit electric hexagon 5	283118050
37227	(a)	slimBit electric hexagon 6	283118060
43059		1/4" Insulated extension bar 75mm	246197
43060		1/4" Insulated extension bar 150mm	246198
43139	-	1/4" Nut adapter slimVario® electric	SB283108
43292		1/4" Adapter for TorqueVario®-S T	SB283107
43128		1/4" Adapter TorqueVario®-S electric	287992
43088	4	1/4" Insulated Nut Driver Insert International Hexagon 4×42mm	246223
43089		1/4" Insulated Nut Driver Insert International Hexagon 5×42 mm	246224
43090		1/4" Insulated Nut Driver Insert International Hexagon 5.5×42mm	246225
43091		1/4" Insulated Nut Driver Insert International Hexagon 6×42 mm	246226
43092		1/4" Insulated Nut Driver Insert International Hexagon 7×42mm	246227
43093	2	1/4" Insulated Nut Driver Insert International Hexagon 8×42mm	246228

Order-No.	Image	Article	Article-No.
43094		1/4" Insulated Nut Driver Insert International Hexagon 9×42 mm	246229
43095		1/4" Insulated Nut Driver Insert International Hexagon 10×42mm	246230
43109		1/4" Insulated Nut Driver Insert International Hexagon 3×65mm	246244
43110		1/4" Insulated Nut Driver Insert International Hexagon 4×65mm	246245
43111		1/4" Insulated Nut Driver Insert International Hexagon 5×65mm	246246
43112		1/4" Insulated Nut Driver Insert International Hexagon 6×65mm	246247
43113		1/4" Insulated Nut Driver Insert International Hexagon 8×65mm	246248
38798		Insulated Cable Stripping Knife 200 mm	24680SB
41286		Flashlight with LED, Laser, UV, magnetic base, swivel head	SB24670
		Drawer 2	
44163		3/8" Insulated Torque Wrench, 5–25 Nm, 290 mm	246267
44355	******	Insulated Adapter from 3/8" to 1/4"	283191
43057	•	3/8" Insulated Extension Bar 125mm	246195
43058 •		3/8" Insulated Extension Bar 250mm	246196
43067		3/8" Insulated Nut Driver 11 × 44 mm	246202
43068	-	3/8" Insulated Nut Driver 12×44 mm	246203
43069	-	3/8" Insulated Nut Driver 13×44 mm	246204
43070	1	3/8" Insulated Nut Driver 14×44 mm	246205
43071	4	3/8" Insulated Nut Driver 16×44 mm	246206
43072		3/8" Insulated Nut Driver 17×44 mm	246207
43073		3/8" Insulated Nut Driver 18×44mm	246208
43074		3/8" Insulated Nut Driver 19×44mm	246209
43075		3/8" Insulated Nut Driver 21 × 44 mm	246210
43076		3/8" Insulated Nut Driver 22×44mm	246211
44146	E (3/8" Deep Nut Driver 8×80mm	246264
44147	e i	3/8" Deep Nut Driver 10×80mm	246265
44148		3/8" Deep Nut Driver 12×80mm	246266
43177	To sto a	Torque T-handle TorqueVario®-S T electric 5–14Nm with adjusting tool	293311500
43634	-	1/4" Insulated Adapter	2837992
38931		Interchangeable electric blade TORX® T15×132 mm	283795015
38932		Interchangeable electric blade TORX® T20×132 mm	283795020
38933		Interchangeable electric blade TORX® T25×132 mm	283795025
38934	-	Interchangeable electric blade TORX® T27×132 mm	283795027

Order-No.	Image	Article	Article-No.
		Drawer 3	
37450		Water pump pliers electric 250 mm	Z22025006
43340	20	Diagonal cutters electric 180mm	Z12118006
43662		Cable cutter electric 210 mm	Z50321006
26711		Combination pliers electric 200 mm	Z01020006
26732		Long flat-nose pliers electric 160mm	Z07016006
26729		Needle nose pliers electric with cutting edge curved shape 200mm	Z05120006
26847		Stripping pliers electric 160mm	Z55016006
35862		Crimping pliers electric 180 mm	Z60018006
		Drawer 4	
43026	>	Single, insulated open-end spanner wrench 6mm	246157
43027	>	Single, insulated open-end spanner wrench 7 mm	246158
43028		Single, insulated open-end spanner wrench 8 mm	246159
43029		Single, insulated open-end spanner wrench 9 mm	246160
43030	———	Single, insulated open-end spanner wrench 10mm	246161
43031	3	Single, insulated open-end spanner wrench 11 mm	246162
43032	———	Single, insulated open-end spanner wrench 12mm	246163
43033		Single, insulated open-end spanner wrench 13mm	246164
43034		Single, insulated open-end spanner wrench 14mm	24165
43035	3	Single, insulated open-end spanner wrench 15mm	246166
43036	Jan Hart D	Single, insulated open-end spanner wrench 16mm	246167
43037	3 *** D	Single, insulated open-end spanner wrench 17mm	246168
43038	wito to	Single, insulated open-end spanner wrench 18mm	246169
43039	wito-	Single, insulated open-end spanner wrench 19mm	246170
43040	wiha =	Single, insulated open-end spanner wrench 22mm	246171
43061	wito-	Adjustable spanner electric (0–30 mm variable adjustable)	246199

Order-No.	Image	Article	Article-No.
		Drawer 5	
•	#4E+	2× Insulating end caps Ø40mm	
	664.00.4	2× Insulating end caps Ø60mm	
		2 × Insulating blanket clamp LG 80 VDE	
*******************************		2× Insulating blanket clamp LG 160 VDE	
		Orange IEC class 0 insulating blanket 1 m×1 m	
44356		IEC mechanical insulating gloves (size10)	246274
		Undergloves size 9–10	
	8	Face shield 1000VAC/1500VDS	
44319		Voltage tester 2 pole, CATIV 1000 V	SB25515
44357	<u>A</u> ®®	Warning sign for electric and hybrid vehicles	246275
EU: 41915 UK: 42766	10	Charger (speedE*)	599002

wiha w

THE E-MOBILITY TOOL CASE XL.

Compact, handy, robust: The eMobility Tool Case XL offers all the essentials for working on hybrid and electric vehicles. Wherever you are working: easily transportable thanks to its comfortable shoulder strap, the eMobility Tool Case XL becomes an indispensable companion. Ideal for everyone who needs to be mobile and work on site. Thanks to the well-organised interior of the case, the right tool is always quickly and safely available.

- + ALL ESSENTIAL TOOLS FOR HYBRID AND ELECTRIC VEHICLES
- + EASY TO TRANSPORT –
 THE E-MOBILITY WORKSHOP FOR EVERYWHERE
- + INCREASED SAFETY: VDE TEST MARK
 IN ADDITION TO DIN EN 60900



Tool Case Set XL eMobility

Order-No. I	age Article		Article-No.
37450	Water pump pliers electric, 250 m	nm	Z22025006
13340	Diagonal cutters electric 180 mm		Z12118006
3662	Cable cutter electric 210 mm		Z50321006
26732	Long flat-nose pliers electric 160	mm	Z07016006
26729	Needle nose pliers electric with c curved shape 200 mm	cutting edge	Z05120006
26711	Combination pliers electric 200 m	nm	Z01020006
35446	Screwdriver SoftFinish® electric s	slimFix, Slotted 3,5	3201035100
5390	ScrewdriverSoftFinish® electric s	limFix, Slotted 4,0	3201040100
35391	Screwdriver SoftFinish® electric s	slimFix, Slotted 5,5	3201055125
35392	Screwdriver SoftFinish® electric s	slimFix, Slotted 6,5	3201065125
35393	Screwdriver SoftFinish® electric s	slimFix, Phillips PH1	32111080
35394 —	Screwdriver SoftFinish® electric s	slimFix, Phillips PH2	32112100
36538 -	Screwdriver SoftFinish® electric s	slimFix, TORX® T20	3251020
36539 —	Screwdriver SoftFinish® electric s	slimFix, TORX® T25	03251025
36540 —	Screwdriver SoftFinish® electric s	slimFix, TORX® T27	03251027
36541 —	Screwdriver SoftFinish® electric s	slimFix, TORX® T30	03251030
36542 -	Screwdriver SoftFinish® electric s	slimFix, TORX® T40	03251040
00858	Screwdriver SoftFinish® electric s	slimFix, Hex nut driver 7,0	0322070
00859	Screwdriver SoftFinish® electric s	slimFix, Hex nut driver 8,0	0322080
00861	Screwdriver SoftFinish® electric s	slimFix, Hex nut driver 10,0	0322100
00864	Screwdriver SoftFinish® electric s	slimFix, Hex nut driver 13,0	0322130
40674	Torque screwdriver set TorqueVa 0,8-5,0 Nm	rio®-S electric,	2872T13
44163	3/8" Insulated Torque Wrench, 5-	-25 Nm, 290 mm	246267
43057 •	3/8" Insulated Extension Bar 125	mm	246195
43058	3/8" Insulated Extension Bar 250	mm	246196

Order-No.	Image	Article	Article-No.
4355	irihe	Insulated Adapter from 3/8" to 1/4"	283191
13139	and the same	1/4" Nut adapter slimVario® electric	SB283108
3128 -		1/4" Adapter TorqueVario®-S electric	287992
3088		1/III by Jaka Na Diversity at laterational literature (1/10)	246223
3089		1/4" Insulated Nut Driver Insert International Hexagon 4×42 mm 1/4" Insulated Nut Driver Insert International Hexagon 5×42 mm	246224
3090		1/4" Insulated Nut Driver Insert International Hexagon 5.5 x 42 mm	246225
3091		1/4" Insulated Nut Driver Insert International Hexagon 6 × 42 mm	246226
3092		1/4" Insulated Nut Driver Insert International Hexagon 7 × 42 mm	246227
3093		1/4" Insulated Nut Driver Insert International Hexagon 8 × 42 mm	246228
3094		1/4" Insulated Nut Driver Insert International Hexagon 9×42 mm	246229
3095	4	1/4" Insulated Nut Driver Insert International Hexagon 10 × 42 mm	246230
3096	7-	1/4" Insulated Nut Driver Insert International Hexagon 11 × 42 mm	246231
3097		1/4" Insulated Nut Driver Insert International Hexagon 12 × 42 mm	246232
3098		1/4" Insulated Nut Driver Insert International Hexagon 13×42 mm	246233
3099		1/4" Insulated Nut Driver Insert International Hexagon 14×42 mm	246234
3071		3/8" Insulated Nut Driver Insert International Hexagon 16×44mm	246206
3072		3/8" Insulated Nut Driver Insert International Hexagon 17×44mm	246207
3073		3/8" Insulated Nut Driver Insert International Hexagon 18×44mm	246208
3074		3/8" Insulated Nut Driver Insert International Hexagon 19×44mm	246209
3075		3/8" Insulated Nut Driver Insert International Hexagon 21 × 44 mm	246210
3076	4	3/8" Insulated Nut Driver Insert International Hexagon 22 × 44 mm	246211
4146		3/8" Insulated Nut Driver Insert International Hexagon 8×80 mm	246264
4147		3/8" Insulated Nut Driver Insert International Hexagon 10×80mm	246265
14148		3/8" Insulated Nut Driver Insert International Hexagon 12 × 80 mm	246266
		1/4" Insulated Nut Driver Insert International Hexagon 4×65mm	246245
13112		1/4" Insulated Nut Driver Insert International Hexagon 6×65 mm	246247
3113		-	246248
8798		1/4" Insulated Nut Driver Insert International Hexagon 8×65mm	246248 24680SB
0130		Insulated Cable Stripping Knife 200 mm	240005B
1286		Flashlight with LED, Laser, UV, magnetic base, swivel head	SB24670

Order-No.	Image	Article	Article-No.
	HOR.	2× Insulating end caps Ø 40 mm	
	60.65	2 × Insulating end caps Ø 60 mm	
44357	<u> </u>	Warning sign for electric and hybrid vehicles	246275
44319	CADA IS THE	Voltage tester 2 pole, CATIV 1000V	SB25515
44356	**	IEC mechanical insulating gloves (size 10)	246274





wiha w

E-MOBILITY PROFI-TOOLS. VDE-TESTED TOOLS FOR SAFE WORKING.









MAKE YOUR WORKSHOP E-MOBILITY-FIT WITH THE VDE-CERTIFIED TOOLS FROM WIHA.





www.wiha.com/eMobility

Wiha Werkzeuge GmbH

Obertalstraße 3-7 78136 Schonach/Germany Tel. +49 7722 959-0 www.wiha.com





